

Swage Nipples & Bull Plugs





Swage Nipples & Bull Plugs

Swage Nipple Specifications

-  branded
- Conforms to MSS SP-95
- NPT threads on nipples conform to ASME B1.20.1
- Manufacturing facility is ISO 9001:2008 and ISO 14001
- Material conforms to ASTM A234 or ASME SA106
- Schedule 40 nipples have blue caps
- Schedule 80 nipples have green caps
- All Swage nipples are zinc electroplated
- ProPak™ Packaging






Fig. 44SN4 Schedule 40 Swage Nipple

Size in	Part Number	A in	Master	Weight lb
2 x 1	44SN4020010	6.5	12	1.9
2 x 1-1/4	44SN4020012	6.5	12	2.3
2 x 1-1/2	44SN4020014	6.5	12	2.9
2-1/2 x 1	44SN4024010	7.0	6	3.4
2-1/2 x 1-1/2	44SN4024014	7.0	6	3.4
2-1/2 x 2	44SN4024020	7.0	6	3.4
3 x 2	44SN4030020	8.0	4	4.5
3 x 2-1/2	44SN4030024	8.0	4	4.9
4 x 2	44SN4040020	9.0	3	6.6
4 x 2-1/2	44SN4040024	9.0	3	6.9
4 x 3	44SN4040030	9.0	3	7.8
6 x 3	44SN4060030	12.0	-	19.1
6 x 4	44SN4060040	12.0	-	18.3
8 x 4	44SN4080040	13.0	-	28.4
8 x 6	44SN4080060	13.0	-	31.6

Fig. 44SN8 Schedule 80 Swage Nipple

Size in	Part Number	A in	Packing		Weight lb
			Inner	Master	
1/2 x 1/4	44SN8004002	2.75	15	120	0.20
1/2 x 3/8	44SN8004003	2.75	15	120	0.22
3/4 x 1/2	44SN8006004	3.0	8	64	0.38
1 x 1/4	44SN8010002	3.5	5	40	0.46
1 x 1/2	44SN8010004	3.5	5	40	0.49
1 x 3/4	44SN8010006	3.5	5	40	0.55
2 x 1/2	44SN8020004	6.5	-	12	2.9
2 x 3/4	44SN8020006	6.5	-	12	2.5
2 x 1	44SN8020010	6.5	-	12	2.3
2 x 1-1/4	44SN8020012	6.5	-	12	2.2
2 x 1-1/2	44SN8020014	6.5	-	12	2.0
2-1/2 x 2	44SN8024020	7.0	-	6	3.5
3 x 1	44SN8030010	8.0	-	4	6.3
3 x 2	44SN8030020	8.0	-	4	6.0
3 x 2-1/2	44SN8030024	8.0	-	4	5.6
4 x 1	44SN8040010	9.0	-	3	9.5
4 x 2	44SN8040020	9.0	-	3	9.3
4 x 3	44SN8040030	9.0	-	3	10.3
6 x 3	44SN8060030	12.0	-	-	20.1
6 x 4	44SN8060040	12.0	-	-	18.3
8 x 6	44SN8080060	13.0	-	-	37.0



Fig. 44BP4 Schedule 40 Bull Plug

Size in	Part Number	A in	Master	Weight lb
2"	44BP4020	4.0	18	2.3
2-1/2"	44BP4024	5.0	12	3.5
3"	44BP4030	6.0	4	5.9
4"	44BP4040	7.00	3	7.9




Fig. 44BP8 Schedule 80 Bull Plug

Size in	Part Number	A in	Master	Weight lb
2"	44BP8020	4.0	18	2.7
2-1/2"	44BP8024	5.0	12	3.8
3"	44BP8030	6.0	4	6.8
4"	44BP8040	7.0	3	9.7



Fig. 44BPT4 Schedule 40 Bull Plug w/ Tap

Size in	Part Number	A in	Master	Weight lb
2" x 1/4" Tap	44BPT4020002	4.0	18	2.2
2" x 1/2" Tap	44BPT4020004	5.0	18	2.2
3" x 1/2" Tap	44BPT4030004	6.0	4	5.8
4" x 1/2" Tap	44BPT4040004	7.0	3	7.8




Fig. 44BPT8 Schedule 80 Bull Plug w/ Tap

Size in	Part Number	A in	Master	Weight lb
2" x 1/4" Tap	44BPT8020002	4.0	18	2.6
2" x 1/2" Tap	44BPT8020004	5.0	18	2.6
3" x 1/2" Tap	44BPT8030004	6.0	4	6.7
4" x 1/2" Tap	44BPT8040004	7.0	3	9.5